

(Click on Well Log ID to Access Image of Well Strip Log)

CLARK

(Records are Sorted by Township, Range, and Section)

LOG ID: 018793

WELL TYPE Private Well

DRILL DATE:

1959/11/09

TOWNSHIP 63N

RANGE SECTION

6

ELEVATION: 567FT

County Base Map

DRILL DEPTH:

200FT

6W

UTM X 619,152.22

UTM Y 4,460,392.24

DEPTH TO BED:

40FT

ZONE 15

S.W.L. (BEFORE CASING):

42

FT

FΤ

REMARKS: 8 MI S OF WAYLAND ON HWY 61, 1 MI W & 1 MI NW

S.W.L. (AFTER CASING):

LOG ID: 021790

WELL TYPE Private Well

DRILL DATE:

1963/04/15

TOWNSHIP

SECTION RANGE

ELEVATION:

684FT

DRILL DEPTH:

329FT

63N **7W**

> UTM X 616,834.20

> > ZONE 15

UTM Y 4,460,701.21

DEPTH TO BED:

160FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

134

REMARKS: 15 MI N OF CANTON; YIELD - 10 GPM @ 250'

LOG ID:

027239

WELL TYPE Private Well

DRILL DATE:

1970/01/24

TOWNSHIP 63N

SECTION RANGE

ELEVATION:

678FT

DRILL DEPTH:

DEPTH TO BED:

350FT 200FT

7W 2

UTM X UTM Y

4,459,856.19

615,101.18 ZONE 15

S.W.L. (BEFORE CASING):

FT

122

REMARKS: S OF KAHOKA ON HWY 81; YIELD - 6 GPM @ 325'

S.W.L. (AFTER CASING):

LOG ID: 027795

WELL TYPE Private Well

DRILL DATE:

1971/02/17

TOWNSHIP RANGE **SECTION**

ELEVATION:

681FT

DRILL DEPTH:

344FT

63N 7W 3

UTM Y 4,460,669.19

DEPTH TO BED:

FT

75

REMARKS:

ZONE 15

UTM X

614,483.17

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

NO SAMPLES DESCRIBED, NO FORMATIONS NAMED OR

PLOTTED



RANGE

RANGE

8W

7W

(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012815

DRILL DEPTH:

LOG ID:

WELL TYPE Private Well

1953/12/21 DRILL DATE:

136FT

DEPTH TO BED: 115FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: 11 MIS OF KAHOKA

TOWNSHIP

63N

70

WELL TYPE Private Well 015026

DRILL DATE: 1956/05/19

DRILL DEPTH: 148FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: TD IN DRIFT

63N

TOWNSHIP

63N

LOG ID: 020484

DRILL DEPTH:

WELL TYPE Private Well

DRILL DATE: 1961/03/01

447FT

DEPTH TO BED: 145FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 006841

WELL TYPE Private Well

1941/05/06 **DRILL DATE:**

DRILL DEPTH: 65FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT 5

REMARKS:

REMARKS:

TD IN ALLUVIUM; ALEXANDRIA, MO.

ELEVATION:

671FT

UTM X 608,709.10

UTMY 4,458,549.12

ZONE 15

ELEVATION:

702FT

UTM X 605,882.07

UTMY 4,458,065.09

ZONE 15

SECTION

14

SECTION

TOWNSHIP RANGE SECTION

> 8W 14

UTM X

ELEVATION:

UTM Y

713FT

605,882.07 4,458,065.09

ZONE 15

YIELD - 15 GPM @ 250'

SECTION TOWNSHIP RANGE 64N

5W 8

ELEVATION:

498FT

UTM X UTM Y 630.635.34 4,468,815.38

ZONE 15



(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

619,737.22

ELEVATION:

ELEVATION:

UTM X

619,034.21

536FT

UTMY

4,469,392.27

549FT

600FT

UTM Y

4,468,495.26

LOG ID: 015595

DRILL DEPTH:

LOG ID:

DRILL DEPTH:

WELL TYPE Private Well

1956/11/06 DRILL DATE:

160FT

DEPTH TO BED: 10FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 27 FT

FT

FT

FT

54

REMARKS: YIELD - 25 GPM @ 130'

TOWNSHIP

64N

WELL TYPE

009636 Private Well

DRILL DATE:

102FT

DEPTH TO BED: 55FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

1946/10/15

TOWNSHIP SECTION RANGE 64N

6W 7

RANGE

6W

RANGE

6W

SECTION

6

UTM X UTMY 619,634.22 4,468,093.27

ZONE 15

ZONE 15

REMARKS: 18

LOG ID: 027755

WELL TYPE

Private Well

DRILL DATE: DRILL DEPTH:

150FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

21

LOG ID: 009349

Private Well

DRILL DATE:

1946/07/02

DRILL DEPTH: 130FT

DEPTH TO BED: 100FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE

TOWNSHIP 64N

TOWNSHIP

64N

RANGE

7W

13

SECTION

SECTION

7

NO STRATIGRAPHIC OR LITHOLOGIC DATA, NO TOPS

ELEVATION:

693FT

UTM X UTM Y 616.738.19 4,466,223.23

ZONE 15

ZONE 15

REMARKS:

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021540

DRILL DEPTH:

WELL TYPE Private Well

1963/07/11 DRILL DATE:

300FT

DEPTH TO BED: 35FT S.W.L. (BEFORE CASING):

FT

FT

FT

TOWNSHIP RANGE SECTION 64N 7W

13

ELEVATION:

662FT

UTM X 617,738.20

UTMY 4,467,023.24

ZONE 15

S.W.L. (AFTER CASING):

128

REMARKS:

LOG ID: 010663

WELL TYPE Private Well

DRILL DATE:

1948/11/18

TOWNSHIP

RANGE

SECTION ELEVATION: 677FT

DRILL DEPTH:

290FT

64N 15 7W

UTM X

UTMY

DEPTH TO BED: 40FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

613,920.16

4,466,877.19

REMARKS: YIELD - 10 GPM @ 160'

115

ZONE 15

LOG ID:

WELL TYPE

019663

Private Well

DRILL DATE:

1960/09/01

TOWNSHIP

RANGE

SECTION

ELEVATION:

662FT

DRILL DEPTH:

235FT

64N

7W 2

UTM X

UTM Y

DEPTH TO BED:

70FT

615,106.17

4,469,868.21

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

93

REMARKS:

6 MI E OF KAHOKA ON HWY 136. 0.9 MI S

LOG ID: 009771

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

236FT

82FT

48

1946/11/30

TOWNSHIP

64N

RANGE 7W

SECTION 25

ELEVATION:

669FT

UTM X UTM Y 617.753.20 4,464,410.23

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

2/27/2007

938



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009755

DEPTH TO BED:

WELL TYPE Private Well

1946/11/01 DRILL DATE:

RANGE SECTION 7W 26

ELEVATION:

564FT

DRILL DEPTH: 223FT

UTM X **UTMY**

616,058.19

4,463,119.21

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS: STATED TO BE IN IOWA

S.W.L. (AFTER CASING):

LOG ID: 013128

WELL TYPE Private Well

DRILL DATE:

1954/09/08

TOWNSHIP

TOWNSHIP

64N

SECTION RANGE

ELEVATION:

663FT

DRILL DEPTH:

321FT

20FT

23

64N 26 7W

UTM X

UTMY

DEPTH TO BED: 55FT 615,758.18

4,464,226.21

S.W.L. (BEFORE CASING):

121

2 MI W OF WINCHESTER REMARKS:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Private Well

027799 **DRILL DATE:**

1971/01/08

TOWNSHIP RANGE 64N

ELEVATION:

580FT

DRILL DEPTH:

239FT

7W 35

> UTM X UTM Y

DEPTH TO BED:

616,164.19 4,461,817.21

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

31

NO FORMATIONS OR LITHOLOGY; NO TOPS

LOG ID: 022642

WELL TYPE Private Well

DRILL DATE:

1963/12/19

TOWNSHIP RANGE **SECTION**

SECTION

ELEVATION:

672FT

DRILL DEPTH:

DEPTH TO BED:

140FT

90FT

64N 7W

> UTM X UTM Y

612.091.14 4,470,164.17

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: formerly in name of B.G. Goodman

20 S.W.L. (AFTER CASING):

2/27/2007

939



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 006591

DRILL DEPTH:

WELL TYPE Private Well

1940/12/14 DRILL DATE:

140FT

DEPTH TO BED: 73FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 15 **TOWNSHIP RANGE SECTION** 64N 7W

RANGE

RANGE

8W

TD IN DRIFT; YIELD - 20 GPM @ 150'

7W

8

SECTION

9

SECTION

13

ELEVATION:

679FT

UTM X 611,495.13

ELEVATION:

UTM X

612,894.15

ELEVATION:

UTM X

607,120.09

UTMY 4,468,948.16

686FT

UTMY

4,468,933.18

678FT

UTM Y

4,466,831.10

ZONE 15

ZONE 15

ZONE 15

DRILL DEPTH:

LOG ID: **WELL TYPE** 015593

Private Well

DRILL DATE:

1956/06/08

302FT

40FT

DEPTH TO BED:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

100

FT

REMARKS:

6.5 MI SE OF KAHOKA REMARKS:

TOWNSHIP

64N

REMARKS:

TOWNSHIP

64N

97

LOG ID: 020528

WELL TYPE Private Well

DRILL DATE:

1959/06/01

DRILL DEPTH: 270FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 017993

WELL TYPE Private Well

DRILL DATE:

1958/05/24

DRILL DEPTH: 180FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP 64N

RANGE 8W

SECTION 27

ELEVATION:

682FT

UTM X UTM Y 605,049.06 4,464,445.07

ZONE 15

TD IN DRIFT; YIELD - 20 GPM @ 120'

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024289

WELL TYPE Private Well

1966/03/01 DRILL DATE:

TOWNSHIP RANGE 64N 8W

ELEVATION:

707FT

DRILL DEPTH: 281FT

S.W.L. (AFTER CASING):

3

SECTION

UTM X **UTMY**

604,635.06

4,470,927.06

ZONE 15

DEPTH TO BED: S.W.L. (BEFORE CASING):

FT

FT

FT

REMARKS: TD IN DRIFT

LOG ID: 024290

WELL TYPE Private Well

DRILL DATE:

1966/02/01

TOWNSHIP 64N

SECTION RANGE

ELEVATION:

731FT

DRILL DEPTH:

229FT

89

9W

UTM X 592,550.91

UTMY 4,466,549.86

DEPTH TO BED:

228FT

117

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

"BEDROCK" AT 228.5 "MAY BE A BOULDER AND NOT TOP OF

16

MISS"

LOG ID: 024284

WELL TYPE Private Well

DRILL DATE: 1964/02/14

TOWNSHIP RANGE

SECTION

ELEVATION:

740FT

DRILL DEPTH:

138FT

64N 9W 28

UTM X

UTMY

DEPTH TO BED:

593,534.91 4,463,332.88

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: TD IN DRIFT

50 S.W.L. (AFTER CASING):

LOG ID: 020527

WELL TYPE Private Well

DRILL DATE:

1958/01/01

TOWNSHIP 64N

REMARKS:

SECTION RANGE

ELEVATION:

UTM X

596.140.94

730FT

DRILL DEPTH:

345FT

9W 35

UTM Y 4,462,493.93

DEPTH TO BED:

145FT

0.25 MI E OF JCT HWYS A & D, N SIDE

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

620,184.21

ELEVATION:

UTM X

ELEVATION:

UTM X

621,781.23

651FT

UTMY

4,476,651.31

576FT

UTMY

501FT

UTMY

4,473,648.32

LOG ID: 021528

LOG ID:

WELL TYPE Private Well

1930/04/01 DRILL DATE:

239FT

DRILL DEPTH:

DEPTH TO BED: 75FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 34 FT

FT

59

REMARKS:

REMARKS: formerly in name of Arza Shultz

TOWNSHIP

65N

WELL TYPE

009612 Private Well

DRILL DATE: 1946/09/16

DRILL DEPTH: 233FT

DEPTH TO BED: 42FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP SECTION RANGE

RANGE

6W

65N 6W 20

SECTION

17

620,072.21 4,475,141.30

ZONE 15

ZONE 15

LOG ID: 012171

WELL TYPE Private Well

DRILL DATE: 1951/11/09

DRILL DEPTH: 55FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

32

REMARKS: TD IN DRIFT; 0.5 MI E & 0.5 MI N OF WAYLAND

RANGE

6W

LOG ID:

WELL TYPE

026591 Community Public Well

DRILL DATE: DRILL DEPTH: 1970/06/11

91FT

DEPTH TO BED: 90FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

TOWNSHIP RANGE 65N

TOWNSHIP

65N

SECTION 6W

28

SECTION

28

ELEVATION:

532FT

UTM X UTM Y 621.781.23 4,472,634.32

ZONE 15

ZONE 15

TEST HOLE REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 015582

WELL TYPE Private Well

1956/08/14 DRILL DATE:

TOWNSHIP 65N

RANGE SECTION **ELEVATION:**

541FT

DRILL DEPTH:

80FT

6W 29

UTM X 620,169.22

UTMY 4,472,631.29

DEPTH TO BED:

S.W.L. (BEFORE CASING): 21

FT

TD IN DRIFT; YIELD - 10 GPM @ 22' **REMARKS**:

ZONE 15

LOG ID:

026593

S.W.L. (AFTER CASING):

WELL TYPE

Community Public Well

DRILL DATE:

1970/06/09

TOWNSHIP

SECTION RANGE

ELEVATION:

520FT

DRILL DEPTH:

23FT

65N 6W 31

UTM X

UTMY

DEPTH TO BED:

618,450.20

4,472,147.27

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS: TEST HOLE; ONLY 0-10' SAMPLES

LOG ID:

001705

WELL TYPE Private Well

1913/00/00

TOWNSHIP RANGE SECTION **ELEVATION:**

528FT

DRILL DATE: DRILL DEPTH:

199FT

65N 6W 32

UTM X **UTMY**

DEPTH TO BED:

30FT

619,977.21

4,472,430.29 ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

026590

Community Public Well

DRILL DATE:

1960/06/17

TOWNSHIP

SECTION RANGE

ELEVATION:

532FT

DRILL DEPTH:

155FT

65N

32

UTM X UTM Y

DEPTH TO BED:

620,577.22

4,471,828.29

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

REMARKS:

"TEST HOLE"; TD IN DRIFT

6W

S.W.L. (AFTER CASING):



RANGE

RANGE

RANGE

6W

6W

6W

SECTION

32

SECTION

32

SECTION

32

"TEMPORARY WELL"; ALLUVIUM & DRIFT

TOWNSHIP

65N

TOWNSHIP

TOWNSHIP

TEST WELL

65N

65N

REMARKS:

REMARKS:

REMARKS:

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

620,577.22

ELEVATION:

UTM X

620,954.22

ELEVATION:

UTM X

620,787.22

ZONE 15

ZONE 15

ZONE 15

535FT

UTMY

4,472,430.30

534FT

UTMY

4,472,275.30

534FT

UTMY

4,472,303.30

LOG ID: 026592

WELL TYPE

Community Public Well

1970/06/10 DRILL DATE:

DRILL DEPTH: 160FT

DEPTH TO BED: 159FT

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING): 41

LOG ID: **WELL TYPE**

026868 Community Public Well

DRILL DATE:

1971/07/01

157FT

DRILL DEPTH:

DEPTH TO BED: 156FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Community Public Well 026869

DRILL DATE:

1971/07/15

DRILL DEPTH: 159FT

DEPTH TO BED: 158FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 013485

DRILL DATE:

1954/11/19

DRILL DEPTH:

DEPTH TO BED:

59FT

TOWNSHIP 65N

RANGE 6W

SECTION

33

ELEVATION:

534FT

UTM X UTM Y

621.982.24 4,471,431.31

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

formerly in name of Robert Fisher - TD IN DRIFT; YIELD 30 GPM @ 38' **REMARKS:**



RANGE

6W

SECTION

33

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

621,982.23

499FT

UTMY

4,472,441.32

516FT

669FT

UTMY

4,477,939.23

684FT

LOG ID: 026589

DRILL DEPTH:

WELL TYPE

Community Public Well

1970/06/18 DRILL DATE:

71FT

DEPTH TO BED: 55FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS: "TEST HOLE"

TOWNSHIP

65N

LOG ID: 012174

WELL TYPE Private Well

DRILL DATE:

DEPTH TO BED:

1952/05/06

FT

TOWNSHIP 65N

TOWNSHIP

65N

SECTION RANGE 6W 4

ELEVATION:

DRILL DEPTH: 155FT

35FT

UTM X **UTMY** 622,150.22 4,479,455.35

ZONE 15

ZONE 15

ELEVATION:

UTM X

615,165.16

ELEVATION:

S.W.L. (BEFORE CASING):

REMARKS: AT ST. FRANCISVILLE

S.W.L. (AFTER CASING): 31

LOG ID: 028278

WELL TYPE Private Well

DRILL DATE: 1979/05/01

DRILL DEPTH: 390FT

DEPTH TO BED: 135FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 009350

WELL TYPE Private Well

1946/07/31 **DRILL DATE:**

DRILL DEPTH: 225FT

DEPTH TO BED: 70FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 66

RANGE

7W

SECTION TOWNSHIP RANGE

65N 7W 17

SECTION

11

NO PRODUCTION OR CONSTRUCTION DATA

UTM X UTM Y 611,257.13 4,477,102.17

ZONE 15

ZONE 15

REMARKS:

FT

REMARKS:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022692

DEPTH TO BED:

WELL TYPE

Community Public Well

1964/06/15 DRILL DATE:

175FT

TOWNSHIP 65N

RANGE SECTION 7W 17

ELEVATION:

620FT

DRILL DEPTH:

UTM X

UTMY 4,476,557.17

611,703.13

ZONE 15

S.W.L. (BEFORE CASING):

TD IN DRIFT; "TEST HOLE"; SECTION NOT GIVEN **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

022693

Community Public Well

DRILL DATE:

1964/06/16

TOWNSHIP

RANGE

SECTION ELEVATION: 620FT

DRILL DEPTH:

187FT

65N 7W 17

UTM X

DEPTH TO BED: 185FT 611,703.13

UTMY 4,476,557.17

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: TEST WELL

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

022694

Community Public Well

DRILL DATE:

1964/06/17

TOWNSHIP RANGE **SECTION** 17

ELEVATION:

620FT

DRILL DEPTH:

158FT

65N 7W

> UTM X 611,703.13

UTMY 4,476,557.17

DEPTH TO BED:

155FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE

LOG ID: 001560

Industrial High Capacity Well

DRILL DATE:

TOWNSHIP 65N

REMARKS:

RANGE

SECTION

ELEVATION:

700FT

DRILL DEPTH:

360FT

7W 19

TEST WELL; NO LOCATION OR DATA

UTM X UTM Y

608.695.10 4,475,873.13

ZONE 15

ZONE 15

DEPTH TO BED:

S.W.L. (BEFORE CASING):

157FT

FT

REMARKS: aka Kahoka Ice Company (?)

S.W.L. (AFTER CASING):

72



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 023845

WELL TYPE

Community Public Well

DRILL DATE:

DRILL DEPTH:

145FT

TOWNSHIP 65N

RANGE SECTION 19

ELEVATION:

698FT

7W

UTM X

UTMY 4,475,111.13

DEPTH TO BED:

608,695.10

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: TD IN DRIFT

S.W.L. (AFTER CASING):

LOG ID: 027188

WELL TYPE Private Well

DRILL DATE:

1968/08/20

TOWNSHIP

SECTION RANGE

ELEVATION:

609,695.11

690FT

DRILL DEPTH:

215FT

2

65N 19 7W

UTM X

UTMY 4,475,301.14

DEPTH TO BED:

135FT

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

EAST SIDE OF KAHOKA

LOG ID:

WELL TYPE Private Well

017991 **DRILL DATE:**

1958/12/30

TOWNSHIP

RANGE SECTION 26

ELEVATION:

653FT

DRILL DEPTH:

178FT

65N **7W**

UTM X

UTMY 4,474,126.24

DEPTH TO BED:

152FT

616,101.17 ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

REMARKS:

YIELD - 1 GPM @ 178'; 2 MI W OF WAYLAND ON HWY 136, 1.6 MI N.

S.W.L. (AFTER CASING):

103

LOG ID: 027793

WELL TYPE Private Well

DRILL DATE:

1971/01/27

TOWNSHIP 65N

SECTION RANGE

ELEVATION:

690FT

DRILL DEPTH:

325FT

7W 31

UTM X

UTM Y

609.497.11 4,472,069.14

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

DEPTH TO BED:

FT

114

REMARKS:

NO SMPLES DESCRIBED; 2 MI S & 0.5 MI E OF KAHOKA; YIELD - 10

GPM @ 200



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 010312

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1948/08/26 DRILL DATE:

160FT

TOWNSHIP 65N

RANGE SECTION 7W

ELEVATION:

666FT

UTM X

UTMY 4,471,598.24

616,500.18

ZONE 15

S.W.L. (BEFORE CASING):

formerly in name of Buck Clark - DRY & ABANDONED; TD IN DRIFT **REMARKS**:

35

S.W.L. (AFTER CASING):

LOG ID: 027758

DEPTH TO BED:

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

230FT

TOWNSHIP

RANGE

SECTION

SECTION

ELEVATION:

574FT

65N

35 7W

UTM X

UTMY

615,800.17

4,471,802.23

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: NO SAMPLES OR TOPS.

S.W.L. (AFTER CASING):

WELL TYPE

Private Well

DRILL DATE:

LOG ID:

024256

1964/03/27

FT

TOWNSHIP 65N

RANGE

ELEVATION:

541FT

DRILL DEPTH:

201FT

7W 36

UTM X 617,520.19

UTMY 4,472,058.25

DEPTH TO BED:

30FT

112

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

190

LOG ID: 012176

WELL TYPE Private Well

DRILL DATE:

1951/12/11

88

TOWNSHIP 65N

RANGE

SECTION

ELEVATION:

664FT

DRILL DEPTH:

DEPTH TO BED:

150FT 130FT 7W

UTM X 611,855.13

UTM Y 4,479,663.18

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

0.25 MI W & 3 MI S OF REVERE



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019248

WELL TYPE Oil Well

1959/00/00 DRILL DATE:

TOWNSHIP RANGE SECTION 65N 7W

ELEVATION:

556FT

DRILL DEPTH:

730FT

UTM X

UTMY

DEPTH TO BED:

10FT

612,655.14

4,479,869.19

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

10-FT SAMPLES; #1 SCALF

LOG ID: 020148

WELL TYPE Oil Well

DRILL DATE:

765FT

TOWNSHIP 65N

SECTION RANGE

ELEVATION:

556FT

DRILL DEPTH: DEPTH TO BED:

7W 4

UTM X

UTMY

REMARKS:

90FT

612,655.14

4,479,869.19

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 014256

WELL TYPE Private Well

DRILL DATE:

1955/05/28

TOWNSHIP RANGE **SECTION**

ELEVATION:

661FT

DRILL DEPTH:

295FT

65N

9

UTMY

DEPTH TO BED:

70FT

95

7W

UTM X 611,864.13

ZONE 15

4,479,097.18

FT

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE Oil Well

027621 **DRILL DATE:**

1974/07/17

TOWNSHIP

RANGE

SECTION

ELEVATION:

570FT

DRILL DEPTH:

897FT

65N 7W 9

> UTM X 612.864.14

> > ZONE 15

UTM Y 4,478,479.19

DEPTH TO BED:

60FT

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

REMARKS:

PLUGGED TD TO SURFACE; ALL CASING PULLED



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 019616

WELL TYPE

Community Public Well

DRILL DATE: **TOWNSHIP RANGE SECTION ELEVATION:**

> 65N 8W 1 170FT

DRILL DEPTH: UTM X **UTMY** DEPTH TO BED: 4,480,062.11

607,823.09

ZONE 15

577FT

S.W.L. (BEFORE CASING): FT TD IN DRIFT; QUESTION ON RANGE, NO ELEVATION **REMARKS**:

S.W.L. (AFTER CASING): 128

LOG ID: 003043

WELL TYPE Private Well

DRILL DATE: 1932/03/00 **TOWNSHIP SECTION RANGE ELEVATION:** 704FT

8W 10 65N DRILL DEPTH: 959FT

UTM X UTMY DEPTH TO BED: 605,116.07 4,478,370.07 195FT

ZONE 15

S.W.L. (BEFORE CASING): **REMARKS:**

S.W.L. (AFTER CASING):

LOG ID: 013127

WELL TYPE

Private Well

SECTION DRILL DATE: 1954/07/21 **TOWNSHIP RANGE ELEVATION:** 697FT

65N **8W** 12 **DRILL DEPTH:** 455FT

UTM X **UTMY**

DEPTH TO BED: 607,528.09 4,478,169.11 145FT ZONE 15

S.W.L. (BEFORE CASING): FT **REMARKS:** formerly in name of J.E. Romanko - 1.5 MI N OF KAHOKA ON HWY

81; YIELD - 2 GPM @ 270-275' S.W.L. (AFTER CASING): 109

LOG ID: 020732

WELL TYPE Private Well

162FT

1961/03/18 **DRILL DATE: TOWNSHIP RANGE SECTION ELEVATION:** 706FT

DRILL DEPTH: UTM X UTM Y

W8

14

DEPTH TO BED: 606.927.09 4,476,156.10 ZONE 15

S.W.L. (BEFORE CASING): FT formerly in name of Dave Hamma - TD IN DRIFT; 1 MI W & 0.5 MI E **REMARKS:**

65N

OF KAHOKA S.W.L. (AFTER CASING): 103



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011685

DRILL DEPTH:

WELL TYPE Private Well

1950/07/05 DRILL DATE:

507FT

DEPTH TO BED: 185FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 95 **TOWNSHIP RANGE** 65N 8W 15

SECTION

ELEVATION:

705FT

UTM X 604,509.06

UTMY 4,476,967.06

ZONE 15

LOG ID: 014435

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1955/10/10

TOWNSHIP 65N

RANGE

RANGE

8W

YIELD - 7 GPM @ 254'

SECTION

SECTION

21

ELEVATION:

699FT

160FT

70

8W 20

UTM X

UTMY

701FT

UTMY

4,474,540.03

601,468.03

ELEVATION:

UTM X

602,886.04

4,475,175.00 ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

REMARKS:

REMARKS:

TD IN DRIFT; YIELD - 20 GPM @ 105; ABANDONED, FILLED WITH

PEA GRAVEL

LOG ID: 024298

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

1966/03/22

475FT

DEPTH TO BED: 260FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

91

REMARKS: YIELD - 10 GPM @ 285'

TOWNSHIP

65N

LOG ID: 027187

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1968/05/20

180FT

77

475FT

TOWNSHIP 65N

RANGE W8

SECTION 22

ELEVATION:

688FT

UTM Y

UTM X

604.707.06 4,475,355.06

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

YIELD - 7 GPM @ 350'; 2.5 MI W OF KAHOKA **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 012173

WELL TYPE Private Well

DRILL DATE: 1951/11/26

<u>TOWNSHIP</u> 65N <u>SECTION</u>

ELEVATION:

703FT

DRILL DEPTH:

156FT

23

UTM X

ZONE 15

DEPTH TO BED:

606,727.08

<u>UTM Y</u> 4,475,150.10

RANGE

8W

S.W.L. (BEFORE CASING): FT

REMARKS:

TD IN DRIFT; YIELD - 16 GPM @ 106'; 1 MI W OF KAHOKA

S.W.L. (AFTER CASING):

LOG ID: 003123

WELL TYPE

Community Public Well

95

DRILL DATE:

1934/10/01

TOWNSHIP

RANGE SECTION

ELEVATION:

700FT

DRILL DEPTH:

174FT

65N 8W

UTM X

<u>UTM Y</u> 4,475,551.12

DEPTH TO BED:

608,131.10

ZONE 15

24

S.W.L. (BEFORE CASING):

REMARKS: TD IN DRIFT?

S.W.L. (AFTER CASING):

LOG ID: 005319

WELL TYPE

Community Public Well

DRILL DATE:

1939/04/01

<u>TOWNSHIP</u>

RANGE SECTION

ELEVATION:

701FT

DRILL DEPTH:

155FT

65N 8W

UTM X

<u>UTM Y</u>

DEPTH TO BED:

608,531.10 4,475,349.12

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: "NEW GRAVEL WELL LOCATED AT TEST HOLE "A"; TD IN DRIFT

24

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

008506

Community Public Well

DRILL DATE:

1943/10/01

TOWNSHIP

RANGE SECTION

ELEVATION:

689FT

UTM Y

DRILL DEPTH:

DEPTH TO BED:

319FT 170FT 65N 8W 24

<u>UTM X</u>

608,331.10 4,475,957.12

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS: "GRAVEL WALL WELL"

S.W.L. (AFTER CASING):

95

2/27/2007 952



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 009394

WELL TYPE

Industrial High Capacity Well

1947/01/15 DRILL DATE:

TOWNSHIP RANGE SECTION 65N 8W 24

ELEVATION:

702FT

DRILL DEPTH: 237FT

UTM X 608,531.10

UTMY 4,474,943.12

ZONE 15

S.W.L. (BEFORE CASING):

DEPTH TO BED:

FT

WATER FROM SAND-FILLED CAVERN AT 213-215' **REMARKS**:

S.W.L. (AFTER CASING):

85

165FT

LOG ID: 019240

WELL TYPE

Community Public Well

DRILL DATE:

1960/09/02

TOWNSHIP

RANGE

SECTION

ELEVATION:

700FT

DRILL DEPTH: 165FT 65N 8W 24

UTM X

UTMY

DEPTH TO BED:

607,331.09

4,475,755.11

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

"TEST HOLE" **REMARKS**:

LOG ID: 019241

WELL TYPE

Community Public Well

DRILL DATE:

TOWNSHIP RANGE SECTION 65N

ELEVATION:

701FT

DRILL DEPTH:

165FT

8W 24

> UTM X **UTMY**

DEPTH TO BED:

164FT

607,531.09 4,475,755.11

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: "TEST HOLE"

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

019242

Community Public Well

DRILL DATE:

1960/09/07

TOWNSHIP

SECTION RANGE

24

ELEVATION:

697FT

DRILL DEPTH:

160FT

65N

W8

UTM X

DEPTH TO BED:

156FT

607.631.09

UTM Y 4,475,856.11

ZONE 15

S.W.L. (BEFORE CASING):

"TEST HOLE" **REMARKS**:

S.W.L. (AFTER CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 022695

DRILL DEPTH:

WELL TYPE

Community Public Well

1964/06/25 DRILL DATE:

190FT

DEPTH TO BED: 188FT **TOWNSHIP RANGE SECTION** 65N 8W 24

ELEVATION:

699FT

UTM X 607,831.09

UTMY 4,475,247.11

ZONE 15

S.W.L. (BEFORE CASING):

"TEST WELL", NO DATA **REMARKS**:

S.W.L. (AFTER CASING):

LOG ID: 025678

WELL TYPE

Community Public Well

DRILL DATE:

1968/06/19

TOWNSHIP

SECTION RANGE

ELEVATION:

703FT

DRILL DEPTH:

200FT

65N 8W 24

UTM X

UTMY

DEPTH TO BED:

607,731.09

4,475,755.11

ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: TD IN DRIFT; TEST HOLE

S.W.L. (AFTER CASING):

LOG ID: 025679

WELL TYPE

Community Public Well

DRILL DATE:

1968/06/18

TOWNSHIP

RANGE

SECTION

ELEVATION:

698FT

DRILL DEPTH:

196FT

65N **8W** 24

UTM X

UTMY

DEPTH TO BED:

607,870.10 4,475,407.11

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

REMARKS:

TD IN DRIFT, "TEST HOLE", ON CHESTNUT ST 2 BLKS W OF NEW

SCHOOL

LOG ID: 012175

WELL TYPE

Private Well

DRILL DATE:

1952/01/09

TOWNSHIP 65N

RANGE

SECTION

ELEVATION:

703FT

DRILL DEPTH:

150FT

W8 29

UTM X

ZONE 15

601.664.03

UTM Y 4,474,371.01

DEPTH TO BED:

S.W.L. (BEFORE CASING): FT

S.W.L. (AFTER CASING):

72

REMARKS: TD IN DFIRT; 2 MI SW OF MEDILL



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 026040

WELL TYPE Private Well

1968/01/05 DRILL DATE:

TOWNSHIP 65N

RANGE SECTION 32

ELEVATION:

700FT

DRILL DEPTH:

481FT

8W

UTM X

UTMY

DEPTH TO BED:

265FT

100

601,463.02

4,471,941.01

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID: 024255

WELL TYPE Private Well

DRILL DATE:

1965/09/04

TOWNSHIP

SECTION RANGE

ELEVATION:

666FT

DRILL DEPTH:

360FT

8W 36

UTM X

UTMY

DEPTH TO BED: 105FT 65N

607,530.09

4,472,118.11

ZONE 15

S.W.L. (BEFORE CASING):

FT

S.W.L. (AFTER CASING):

80

YIELD - 7 GPM @ 235' REMARKS:

LOG ID:

026038

WELL TYPE Private Well

DRILL DATE:

1966/07/26

TOWNSHIP

RANGE SECTION 4

ELEVATION:

670FT

DRILL DEPTH:

427FT

65N **8W**

UTM X

UTMY

DEPTH TO BED:

150FT

602,891.04

4,479,597.03

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING):

FT

REMARKS:

4 MI W OF KAHOKA, 2.5 MI N OF MEDILL; YIELD - 10 GPM @ 228'

S.W.L. (AFTER CASING):

70

LOG ID: 020519

WELL TYPE

Private Well

DRILL DATE:

1961/10/27

TOWNSHIP

RANGE

SECTION 23

ELEVATION:

656FT

DRILL DEPTH:

400FT

65N

9W

UTM X

597.128.98

UTM Y 4,474,602.93

DEPTH TO BED:

145FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

YIELD - 15 GPM @ 220' **REMARKS**:



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 021541

DRILL DEPTH:

WELL TYPE Private Well

1962/06/25 DRILL DATE:

281FT

FT

FT

FT

DEPTH TO BED: 220FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 117 **TOWNSHIP RANGE SECTION** 65N

YIELD - 3 GPM @ 280.5'

9W 27

ELEVATION:

725FT

UTM X 594,509.94

UTMY 4,474,432.88

ZONE 15

WELL TYPE Private Well

DRILL DATE:

DRILL DEPTH:

DEPTH TO BED:

LOG ID:

026036

1967/03/06

TOWNSHIP 65N

RANGE 9W

SECTION 29

SECTION

36

ELEVATION:

743FT

510FT

220FT

UTM X

UTMY

643FT

UTMY

4,472,176.94

591,684.91

4,473,033.84

ELEVATION:

UTM X

597,342.97

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

85

6

REMARKS:

REMARKS:

REMARKS:

1 MI N & 1 MI W OF WYACONDA

RANGE

9W

ZONE 15

LOG ID:

WELL TYPE Private Well

024266 **DRILL DATE:**

DRILL DEPTH:

1964/08/01

190FT

DEPTH TO BED: 170FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

WELL TYPE Private Well

016834

LOG ID:

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

1957/03/06

172FT

30FT

36

TOWNSHIP 66N

TOWNSHIP

65N

RANGE 7W

SECTION 14

ELEVATION:

570FT

UTM X UTM Y

ZONE 15

616.441.18 4,486,445.24

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS:

3.5 MI NE OF REVERE; YIELD - 5 GPM @ 172'

2/27/2007

956



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024286

WELL TYPE Private Well

DRILL DATE: 1969/04/26 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 702FT

<u>DRILL DEPTH:</u> 870FT 66N 7W 17

<u>UTM X</u> <u>UTM Y</u>

<u>DEPTH TO BED:</u> 90FT 610,746.13 4,486,777.13

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: OLD WELL (#24286) DEEPENED 115-870' (#27209) (1970) 1.25 MI N

139 PEAKSV.

LOG ID: 027209

WELL TYPE Private Well

<u>DRILL DATE:</u> <u>TOWNSHIP RANGE SECTION</u> ELEVATION: 699FT

DRILL DEPTH: 66N 7W 17

<u>UTM X</u> <u>UTM Y</u> <u>DEPTH TO BED:</u> 610,746.13 4,486,777.13

70,746.13 4,486,777 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS: SEE LOG #24286 FOR WHOLE LOG (OLD WELL DEEPENED)

S.W.L. (AFTER CASING):

S.W.L. (AFTER CASING):

LOG ID: 005786

WELL TYPE

Noncommunity Public Well

<u>DRILL DATE:</u> 1939/10/21 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 707FT

DRILL DEPTH: 776FT 66N 7W 28

UTM X UTM Y

<u>DEPTH TO BED:</u> 95FT 612,104.13 4,483,395.19 ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS:

S.W.L. (AFTER CASING): 95

LOG ID:

WELL TYPE

015588 Private Well

<u>DRILL DATE:</u> 1956/05/12 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 704FT

DRILL DEPTH: 90FT UTM X UTM Y

<u>DEPTH TO BED:</u> 612,104.13 4,483,599.19

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: TD IN DRIFT; YIELD - 10 GPM @ 80' IN REVERE

S.W.L. (AFTER CASING): 47

2/27/2007 957



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024269

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1964/06/30 DRILL DATE:

114FT

102FT

43

TOWNSHIP 66N

RANGE SECTION 7W

ELEVATION:

698FT

28

UTM X 612,404.13

UTMY 4,483,497.19

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID:

024285

WELL TYPE Private Well

DRILL DATE:

1964/07/10

TOWNSHIP

SECTION RANGE 28

ELEVATION:

680FT

DRILL DEPTH:

125FT

29

66N 7W

UTM X

UTMY

DEPTH TO BED: 70FT

612,404.13

4,483,293.19

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

FT

REMARKS:

LOG ID:

WELL TYPE

024287

Private Well

DRILL DATE:

1964/07/03

TOWNSHIP

RANGE 7W

SECTION

ELEVATION:

702FT

DRILL DEPTH:

103FT

66N

28

UTM X 612,404.13

UTM Y 4,483,497.19

DEPTH TO BED:

93FT

43

REMARKS:

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

WELL TYPE

024270

LOG ID:

Private Well

DRILL DATE:

1966/04/01

TOWNSHIP 66N

RANGE

SECTION 31

ELEVATION:

677FT

DRILL DEPTH:

DEPTH TO BED:

115FT 82FT

48

7W

UTM X UTM Y 4,482,360.15

609.946.11

ZONE 15

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

2/27/2007

958



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 011165

WELL TYPE Private Well

DRILL DATE:

1947/09/05

57

TOWNSHIP 66N

RANGE SECTION 32

ELEVATION:

684FT

DRILL DEPTH:

82FT

7W

UTM X

UTMY 4,481,911.17

DEPTH TO BED:

77FT

611,393.13

ZONE 15

S.W.L. (BEFORE CASING): S.W.L. (AFTER CASING):

FT

REMARKS:

LOG ID:

WELL TYPE Private Well

012979

DRILL DATE:

1954/06/22

TOWNSHIP

RANGE

SECTION ELEVATION: 682FT

DRILL DEPTH:

83FT

7W

UTM X

UTMY

DEPTH TO BED:

78FT

66N 32

610,993.12

4,481,507.17

ZONE 15

S.W.L. (BEFORE CASING):

FT

FT

2.5 MI SW OF REVERE REMARKS:

S.W.L. (AFTER CASING):

63

LOG ID: 022632

WELL TYPE

Private Well

DRILL DATE:

1963/09/14

TOWNSHIP RANGE

SECTION

ELEVATION:

688FT

DRILL DEPTH:

295FT

66N

7W 33

UTM X 613,408.14

ZONE 15

UTMY 4,480,863.21

DEPTH TO BED:

S.W.L. (BEFORE CASING):

55FT

REMARKS:

S.W.L. (AFTER CASING):

135

LOG ID:

WELL TYPE Private Well

024259

1966/05/23

TOWNSHIP

66N

RANGE

SECTION 17

ELEVATION:

684FT

DRILL DATE: DRILL DEPTH:

DEPTH TO BED:

335FT

105FT

8W

UTM X

UTM Y

602.115.05 4,486,451.97 ZONE 15

S.W.L. (BEFORE CASING):

REMARKS:

NO PRODUCTION OR CONSTRUCTION DATA

S.W.L. (AFTER CASING):



RANGE

8W

SECTION

24

SECTION

25

SECTION

26

TOWNSHIP

66N

TOWNSHIP

TOWNSHIP

66N

66N

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

607,668.09

ELEVATION:

UTM X

608,282.10

ELEVATION:

UTM X

606,076.08

ZONE 15

ZONE 15

ZONE 15

705FT

UTMY

4,484,407.10

684FT

UTMY

4,483,803.12

602FT

UTMY

4,483,219.08

LOG ID: 026055

DRILL DEPTH:

WELL TYPE

Noncommunity Public Well

1968/04/24 DRILL DATE:

115FT

DEPTH TO BED: 80FT

S.W.L. (BEFORE CASING):

FT

FT

FT

FT

S.W.L. (AFTER CASING): 57

LOG ID: 026045

WELL TYPE Private Well

DRILL DATE: DRILL DEPTH: 1967/10/16

105FT

DEPTH TO BED: 187FT

S.W.L. (BEFORE CASING):

63

15

REMARKS:

REMARKS:

REMARKS:

REMARKS:

6 MI N , 0.5 MI E, 0.26 MI N OF KAHOKA

RANGE

8W

RANGE

8W

S.W.L. (AFTER CASING):

LOG ID: 012172

WELL TYPE

Private Well

DRILL DATE:

1952/03/24

DRILL DEPTH: 50FT

DEPTH TO BED: 20FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID:

WELL TYPE

Private Well 026039

DRILL DATE:

1966/08/16

DRILL DEPTH: 115FT

DEPTH TO BED:

35FT

18

TOWNSHIP 66N

RANGE W8

SECTION

27

ELEVATION:

604FT

UTM Y

UTM X

605.002.07 4,484,039.06

ZONE 15

7 MI N, 2 MI W OF KAHOKA; YIELD - 14 GPM @ 60'

S.W.L. (AFTER CASING):

S.W.L. (BEFORE CASING):



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 024282

DRILL DEPTH:

DEPTH TO BED:

WELL TYPE Private Well

1964/04/29 DRILL DATE:

142FT

130FT

TOWNSHIP RANGE SECTION 66N

8W 30 **ELEVATION:**

630FT

UTM X 600,205.02

UTMY 4,482,887.97

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

6

FT

REMARKS:

LOG ID:

027189

WELL TYPE Private Well

DRILL DATE:

1968/09/14

TOWNSHIP

RANGE

SECTION

36

ELEVATION:

600FT

DRILL DEPTH: DEPTH TO BED: 320FT 30FT

66N 8W

UTM X

UTMY

607,295.09

4,481,167.10

ZONE 15

S.W.L. (BEFORE CASING):

23

61

FT

REMARKS: 3.5 MI N OF KAHOKA

S.W.L. (AFTER CASING):

LOG ID: 027797

WELL TYPE Private Well

DRILL DATE:

1971/03/10

TOWNSHIP

SECTION RANGE 10

ELEVATION:

721FT

DRILL DEPTH:

220FT

66N 9W

UTM X 595,302.00

ZONE 15

UTMY 4,488,988.81

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

REMARKS: YIELD - 28 GPM @ 100'; NO SAMPLES LOGGED, NO TOPS OR

FORMATIONS

LOG ID:

021542

WELL TYPE Private Well

DRILL DATE:

1962/08/29

TOWNSHIP

RANGE SECTION **ELEVATION:**

594FT

DRILL DEPTH:

DEPTH TO BED:

213FT 27FT

59

67N

7W 29

UTM X

UTM Y

610,207.16

4,493,274.03

ZONE 15

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

FT

YIELD - 5 GPM @ 213'; ATHENS

REMARKS:



RANGE

RANGE

RANGE

7W

REVERE; YIELD 51 GPM @ 40'

7W

7W

SECTION

29

SECTION

31

SECTION

32

(Click on Well Log ID to Access Image of Well Strip Log)

ELEVATION:

UTM X

610,707.16

ELEVATION:

UTM X

610,045.15

ELEVATION:

UTM X

610,415.15

ZONE 15

ZONE 15

551FT

UTMY

4,493,001.05

616FT

UTMY

4,491,080.06

564FT

UTMY

4,491,650.06

LOG ID: 028483

WELL TYPE

Noncommunity Public Well

1981/09/22 DRILL DATE:

DRILL DEPTH: 320FT

DEPTH TO BED: 40FT

S.W.L. (BEFORE CASING):

MINERALIZED WATER **REMARKS:**

TOWNSHIP

TOWNSHIP

67N

67N

TOWNSHIP

67N

S.W.L. (AFTER CASING):

LOG ID: 009935

WELL TYPE Private Well

DRILL DATE: 1947/02/13

DRILL DEPTH: 46FT

DEPTH TO BED: 30FT

S.W.L. (BEFORE CASING):

FT

FT

FT

40

145FT

REMARKS:

REMARKS:

REMARKS:

S.W.L. (AFTER CASING): 34

LOG ID: 016835

WELL TYPE

Private Well

DRILL DATE: 1957/08/17

DRILL DEPTH: 110FT

DEPTH TO BED: 45FT

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING):

LOG ID: 017994

WELL TYPE Private Well

1958/09/06 **DRILL DATE:**

DRILL DEPTH: 206FT

DEPTH TO BED:

S.W.L. (BEFORE CASING):

S.W.L. (AFTER CASING): 77 **TOWNSHIP** 67N

RANGE 9W

SECTION

13

ELEVATION:

710FT

UTM X UTM Y

ZONE 15

598.461.06 4,495,711.77

ZONE 15

1 MI S OF FARMINGTON, IOWA, ON HWY 114; YIELD - 15 GPM

@185'



(Click on Well Log ID to Access Image of Well Strip Log)

LOG ID: 017992

WELL TYPE Private Well

<u>DRILL DATE:</u> 1958/12/23 <u>TOWNSHIP RANGE SECTION</u> <u>ELEVATION:</u> 730FT

DRILL DEPTH: 269FT 67N 9W 28

UTM X UTM Y

<u>DEPTH TO BED:</u> 230FT 593,047.00 4,493,460.70

ZONE 15

S.W.L. (BEFORE CASING): FT REMARKS: YIELD - 18 GPM @ 175'; 4 MI SE OF MT STERLING, IOWA

S.W.L. (AFTER CASING): 83

CLARK

2/27/2007 963